




Traveler

Soft Case Instructions



TerraTrike®





Thank you for your purchase of the Traveler Soft Case!

This manual assumes familiarity with the Traveler folding process. For instructions on folding your Traveler please refer to the Traveler Folding Guide: www.terratrike.com/traveler.php



Scan this with your smartphone to watch the Soft Case video!

Getting Acquainted

1. The Soft Case can be used in two different configurations:

Full-Fold



The smallest configuration for easy loading/un-loading

Half-Fold



Convenient for wheeling around or when space isn't at a premium.

2. Remove Soft Case from packaging. Find wheel covers, handle bar covers, and shoulder strap in the side pocket.



Half-Fold

1. Fold the main tube of your Traveler, taking care to place your pedals in the proper location. Note: Remove tie rod and place in internal sleeve if doing full fold.



2. Unzip the Soft Case and position the Traveler over the top of it as shown.



3. Install narrow end of Soft Case around the main tube hinge and zip both sides closed.



4. Tilt the trike, lifting the chainring guard off the ground. Ensure pedals are positioned as shown for best fit. Note: Pedal position becomes absolutely critical for booms set to "long".



5. Pull up the two large sides of the Soft Case around the crankset and pedals. Zip to close.



6. Fasten the two halves of the Soft Case together along the Velcro seam. This completes the main tube fold.



Note: This completes the Half-Fold. Store the unused soft case parts in the side pocket.

Full-Fold (Continuation from Half-Fold)

1. Slide handlebar covers around grip and brake lever with loop Velcro facing up, secure with hook Velcro strap.



2. Fold the outriggers and gently lower the trike to the ground. If needed, unzip the sides of the case slightly to access the hinges. Lay the neoprene flaps of the Soft Case underneath the hinges to avoid damage.



3. Install the elastic wheel covers over the wheels. Ensure the strap slot does not line up with a spoke or valve stem.



4. Fold the left wheel up first, bringing the wheels together; thread the Velcro wheel strap (supplied with Traveler) through both wheel covers and back onto itself.



5. Connect the neoprene flaps to the Velcro protecting the outrigger hinges.



6. Connect the shoulder strap (optional) to aid in carrying the trike.*



* Take great care when lifting or moving trike. Find a partner to assist as needed.



“Adventure is worthwhile in itself.”


- Amelia Earhart

It’s the perfect summer day, so ideal that you know staying indoors would be a downright shame. But what is there to do?

For the TerraTrike owner, the answer is always: get out and ride. TerraTrikes have revolutionized the cycling industry and opened the doors for people who never thought they’d enjoy cycling.

We can’t wait for you to join them.





TerraTrike[®]

4460 40th St. SE
Grand Rapids MI 49512
800-945-9910
www.TerraTrike.com

